AUTHOR INDEX, VOLUME 16

Abbate, F. W., Farrissey, W. J., Jr., and Sayigh, A. A. R.: Urethanes. II. The Effect of Amine Bases on the Thermal Degradation of Carbanilates, 1213

Abdel-Alim, A. H. and Hamielec, A. E.: Bulk Polymerization of Vinyl Chloride, 783

—— and Hamielec, A. E.: Molecular Aggregation in Poly(vinyl Chloride). A Novel Analytical Technique, 1093

Achwal, W. B. and Shanker, G.: Characterization of Acidic Groups in Oxycelluloses. I. Identification of Various Functional Groups, 1791

—— and Shanker, G.: Characterization of Acidic Groups in Oxycelluloses. II. Estimation of Carboxyl Groups and Lactones by Iodometric Methods, 1873

Adamek, S., MacKillop, D., and Schnecko, H.: Oxidative Degradation of Poly(ethylene Sulfide), 2511

Adams, H. E.: see Anderson, J. N.

——: see Kern, W. J.

Adicoff, A.: see Lepie, A.

Aharoni, S. M.: Ductile and Brittle Behavior of Amorphous Polymers. Relationship with Activation Energy for Glass Transition and Mechanical Fracture, 3265

Ajroldi, G.: see Pezzin, G.

Albarino, R. V. and Otocka, E. P.: Color Stabilization of Poly(vinyl Chloride) Against High-Energy Electron Irradiation, 61

Alberghini, D. P. and Sukanek, P. C.: The Effect of Viscous Heating on the Observed Temperature Dependence of Mechanochemical Reactions, 1701

Alim, K. E., Eriksson, K.-E., and Pettersson, B. A.: Determination of the Molecular Weight Distribution of Cellulose on Calibrated Gel Columns, 2583

Allen, E. H. and Goldfinger, G.: The Color of Absorbing Scattering Substrates. I. The Color of Fabrics, 2973

Amano, T.: see Nakamura, K.

Amelino, L.: see Dontsov, A.

Anderson, J. N., Kern, W. J., Bethea, T. W., and Adams, H. E.: Thermolytic Reactions of Polybutadienyllithium, 3133

——: see Kern, W. J.

Andrews, B. A. K. and Frick, F. G., Jr.: Crosslinking of Cotton in the Presence of Poly(vinyl Alcohol). Analysis and Composition of Products, 935

Aoyagi, J. and Shinohara, I.: Esterification of Styrene–Maleic Anhydride Copolymer by Mixed Alcohols, 449

Aptel, P., Cuny, J., Jozefowicz, J., Morel, G., and Neel, J.: Liquid Transport Through Membranes Prepared by Grafting of Polar Monomers onto Poly(tetrafluoroethylene) Films. I. Some Fractionations of Liquid Mixtures by Pervaporation, 1061

Arthur, J. C., Jr.: see Reine, A.H.

Asscher, M.: see Rosin, H.

Auerbach, M.: see Cunningham, R. E.

Avedesian, M. M.: see Kamal, M. R.

Awaya, N.: see Fujiyama, M.

Baayens, L. and Rosen, S. L.: Hydrodynamic Resistance and Flux Decline in Asymmetric Cellulose Acetate Reverse Osmosis Membranes, 663

Babka, J.: see Kratochvíl, P.

Badger, R. G.: see Salovey, R.

Baer, M.: Studies on Heterogeneous Polymeric Systems. I. Influence of Morphology on Mechanical Properties, 1109

——: Studies on Heterogeneous Polymeric Systems. II. Polyblends Containing Saturated Rubbers, 1125

Bahadur, S. and Ludema, K. C.: Time–Temperature Superposition of Large-Strain Shear Properties of the Ethylene–Propylene Copolymer System, 361

Balakrishan, C.: see Gordon, R. J.

Ball, G. L. and Boettner, E. A.: Volatile Combustion Products of Polycarbonate and Polysulfone, 855

Ballard, D. G. H., Myatt, J., and Richter, J. E. P.: Some Observations on the Mechanism of Action of Retarders in Rubber Vulcanization. A New Class of Retarder, 2647

Barker, R. H.: see Hendrix, J. E.

Bauer, R. G.: see Guillod, M. S.

Beeson, J. J. and Mayhan, K. G.: Kinetic Analysis of the Radiation Polymerization of Methyl Methacrylate–Kaolin Clay Composites, 2765

—— and Mayhan, K. G.: Characterization of Poly(methyl Methacrylate) from Radiation-Induced Polymerization in the Presence of a Kaolin Clay Substrate, 2777

Bell, J. P.: see Lin, C. J.

Benerito, R. R.: see Soignet, D. M.

Benoit, H.: see Grubisic-Gallot, Z.

Berni, R. J.: see Soignet, D. M.

Berticat, Ph.: see Saglio, N.

Bethea, T. W.: see Anderson, J. N.

——: see Kern, W. J.

Bianchi, U.: see Coppola, G.

Biesenberger, J. A. and Capinpin, R.: The Quasi-Stationary State Approximation in Polymerization Kinetics, 695

Biggs, W. T. and Parrish, C. F.: Radiation-Induced Polymerization. I. A Pyrotechnic Binder, 1779
Blackadder, D. A. and Keniry, J. S.: The Morphological Consequences of Annealing High-Density Polyethylene in Solvents, 1261
—— and Keniry, J. S.: The Measurement of the Permeability of Polymer Membranes to Solvating Molecules, 2141
Blair, H. S. and Cromie, R.: Spectroscopic Investigation of Cellulose Degraded Celluloses, and their Phenylhydrazine Derivatives in Relation to Assessment of Degradation, 3063
Blanchard, L. P.: see Chen, H. R.
Bloch, B.: see Duval, M.
Blom, B.: see Jellinek, H. H. G.
Bly, D. D.: see Swartz, T. D.
Bodnar, M. J.: see Hall, J. R.
Boettner, E. A.: see Ball G. L.
Bohme, R. D. and Wessling, R. A.: The Thermal Decomposition of Poly-(vinylidene Chloride) in the Solid State, 1761
Booth, C. and Harlan, J. T.: Determination of the Molecular Weight Distribution of Polyisoprene by Random Scission, 551
Bos, A.: The UV Spectra of Cellulose and Some Model Compounds, 2567
Bottomley, S., Parsons, F. M., and Broughton, P. M. G.: The Dialysis of Non-Electrolytes Through Regenerated Cellulose (Cuprophan). I. The Effect of Molecular Size, 2115
——, Parsons, F. M., and Broughton, P. M. G.: The Dialysis of Non-Electrolytes Through Regenerated Cellulose (Curophan). II. The Dialysis of Binary Mixtures, 2123
Bouton, T. C.: see Kern, W. J.
Bower, G. M. and Frost, L. W.: Polyimidazopyrrolones and Related Polymers. II. Polyimidazopyrrolones from Aromatic Dianhydrides and 3,3′-Dichloro-5,5′-Diaminobenzidine, 345
Boyes, A. P. and Ponter, A. B.: The Effect of Roughness on the Values of Contact Angles of Binary Systems Measured at Atmospheric Pressure and Ambient Temperature on Poly-(tetrafluoroethylene) Surfaces, 2207
Brauman, S. K. and Fritzinger, B. K.: Transport Properties of New Copolyether–Ester and Copolyether–Urethane Dialysis Membranes, 2439
Breithaupt, R. D.: see Sharpe, W. N., Jr.
Broughton, P. M. G.: see Bottomley, S.
Brown, C. W. and White, I. F.: The Preparation of Block Copolymers of Styrene and Methacrylic Acid, 2671
Brown, W.: see Phillips, R. B.
Burns, C. M. and Lau, W. Y.: Free-Radical Reactivity Parameters of 2,6-Dimethoxystyrene, 1309
Burr, R. C.: see Fanta, G. F.
Cabradilla, K. E.: see Zeronian, S. H.
Cameli, N.: see Tosi, C.
Campbell, G. A.: Polyurethane Foam Process Development. A Systems Engineering Approach, 1387
——: Integral-Skin Foam. A Mechanism for Skin Formation, 1735
Capinpin, R.: see Biesenberger, J. A.
Carenza, M.: see Palma, G.
Carleton, P. S., Farrissey, W. J., Jr., and Rose, J. S.: The Formation of Polyimides from Anhydrides and Isocyanates, 2983
Carlsson, D. J., Suprunchuk, T., and Wiles, D. M.: Photo-oxidation of Polypropylene Films. VI. Possible UV-stabilization Mechanism, 615
Carraher, C E., Jr., and Piersma, J. D.: Modification of Poly(acrylic Acid) Via Reaction with Group IVA Reactants, 1851
Casiraghi, T.: see Pezzin, G.
Chance, L. H.: see Pepperman, A. B., Jr.
Chang, K. S. and Huang, R. Y.: A Generalized Method for Correcting Instrument Spreading in Gel Permeation Chromatography, 329
Chang, M. S.: see French, D. M.
Chang, Y. J.: see Chen, C. T.
Chawla, A. S. and St. Pierre, L. E.: Gamma Ray-Induced Liquid-State Polymerization of Hexamethylcyclotrisiloxane and Octamethylcyclotetrasiloxane, 1887
Chee, K. K.: see Rudin, A.
Chen, C. T., Eaton, R. F., Chang, Y. J., and Tobolsky, A. V.: Synthesis Characterization, and Permeation Properties of Polyether-Based Polyurethanes, 2105
Chen, F. C.: Effect of Entrance Geometry on the Capillary Flow of Cellulose Acetate–Acetone Solution, 2175
Chen, H. R. and Blanchard, L. P.: Molecular Weight Distribution in a Poly(vinyl Chloride–vinyl Acetate) Copolymer, 603
Chen, S.-A.: Polymer Miscibility in Mixed Organic Liquids. An Extension of the Two-Dimensional Approach, 1603
Christopher, A. and Wright, A. N.: Ultraviolet Surface-Photopolymerization from Phenol, Cyclohexanol, and Ethylbenzene, 1057
Ciampelli, F.: see Tosi, C.
Cleaveland, J. A.: see Squire, D. R.
Coppola, G., Fabbri, P., Pallesi, B., and Bianchi, U.: Salt Effect of Gel Permeation Chromatography of Partially Charged Polymers, 2829
Cromie, R.: see Blair, H. S.
Culter, J. D., Mayhan, K. G., Patterson, G. K., Sarmasti, A. A., and Zakin, J. L.: Entrance Effects on Capillary Degradation of Dilute Polystyrene Solutions, 3381

Cunningham, R. E. and Wise, M. L.: Preparation and Properties of ABA Block Polymers of Styrene and Butadiene or Isoprene Made with *sec*-$C_4H_9Li \cdot 2(C_2H_5)_2O$, 107
——, Auerbach, M., and Floyd, W. J.: Preparation and Stress–Strain Properties of SBS and SIS Block Polymers Made with Dilithium Initiators, 163
Cuny, J.: see Aptel, P.
Cuthrell, R. E.: Epoxy Polymers. V. Dielectric Strength, 1983
Czerný, J.: Thermo-oxidative and Photo-oxidative Aging of Polypropylene Under Simultaneous Tensile Stress, 2623
Dale, W. C. and Rogers, C. E.: Mechanical and Relaxation Properties of Polystyrene Molded at High Pressures, 21
Daren, S. L. J.: see Rosin, H.
Davies, D. H. and Dixon, D.: Photodepolymerization of Hydroxypropylmethylcellulose, 2449
Day, M. and Wiles, D. M.: Photochemical Degradation of Poly(ethylene Terephthalate). I. Irradiation Experiments with the Xenon and Carbon Arc, 175
—— and Wiles, D. M.: Photochemical Degradation of Poly(ethylene Terephthalate). II. Effect of Wavelength and Environment on the Decomposition Process, 191
—— and Wiles, D. M.: Photochemical Degradation of Poly(ethylene Terephthalate). III. Determination of Decomposition Products and Reaction Mechanism, 203
De Candia, F.: see Dontsov, A.
De Iasi, R.: Thermal Regeneration of the Tensile Properties of Hydrolytically Degraded Polyimide Film, 2909
Delvigs, P.: see Serafini, T. T.
Desreux, V.: see Jerome, R.
DeVries, K. L., Moore, N. B., and Williams, M. L.: Bond Rupture During Ozone Cracking of Torsional Loaded Styrene–Butadiene, 1377
Dharod, K. R.: see White, J. L.
DiBattista, A. D.: see Patel, A. R.
Dixon, D.: see Davies, D. H.
Dixon, G. D. and Westervelt, D. C.: Thermal Stability of Poly(vinyl Fluoride) Film, 3039
Doane, W. M.: see Fanta, G. F.
Dontsov, A., De Candia, F., and Amelino, L.: Elastic Properties and Structure of Polybutadiene Vulcanized with Magnesium Methacrylate, 505
Douglas, J. A., Maher, G. G., Russell, C. R., and Rist, C. E.: Rubber Reinforcement by Starch Poly(ethylenimino Thiourethane), 1937
Draganov, A.: see Konstantinov, Chr.
Drake, G. L., Jr.: see Hendrix, J. E.
Ducháček, V.: Prevulcanization Inhibitor of Sulfur-Free Thiuram Vulcanization, 3245
Dudley, M. A.: Characterization of Nylon 66 by Gel Permeation Chromatography, 493
Duffy, E. A. and Olson, E. S.: Solvent Dyeing of Acrylic Fibers. Process Variables and Mechanisms Based on Rates of Dyeing and Diffusion Studies Using Cationic Dyestuffs, 1539
Du Plessis, T. A.: see Stanneti, V. T.
Duval, M., Bloch, B., and Kohn, S.: Analysis of Phenol-Formaldehyde Resols by Gel Permeation Chromatography, 1585
Dyson, E.: see Tregonning, K.
Eaton, R. F.: see Chen, C. T.
Edwards, A. S.: see Swartz, T. D.
Eguchi, W.: see Harada M.
——: see Nomura, M.
Eilenberg, J. A.: see Vieth, W. R.
Eliassaf, J.: Detection of Polymerization Adjuncts by Diphenylamine, 2433
El-Kaissy, M. M.: see Kamal, M. R.
Eriksson, K.-E.: see Alim, K. E.
Evans, M. B.: see Still, R. H.
Everage, A. E., Jr., and Gordon, R. J.: Modified Bead-Spring Theory of Dilute Polymer Solutions. II. Effects of Polydispersity and Comparison with Experiment, 1967
Eyerer, P.: Elektrische Ladungstrennung während der Vernetzung von Duromeren (Costa Ribeiro Effekt), 2461
Fabbri, P.: see Coppola, G.
Fabulyak, F. Y.: See Lipatov, Yu. S.
Fall, H. H.: The Grafting of Isoprene onto Poly(propylene Oxide), 1947
Fanta, G. F., Burr, R. C., Doane, W. M., and Russell, C. R.: Graft Copolymers of Starch with Mixtures of Acrylamide and the Nitric Acid Salt of Dimethylaminoethyl Methacrylate, 2835
Farrissey, W. J., Jr.: see Abbate, F. W.
——: see Carleton, P. S.
Fetters, L. J., Meyer, B. H., and McIntyre, D.: The Effect of Diblock and Homopolymer Impurities on the Morphology of Triblock Polymers, 2079
Fields, J. W.: see Glass, J. E.
Flodin, P. G. M.: see Höjfors, R. J. V.
Floyd, W. J.: see Cunningham, R. E.
Flynn, L. T.: see Warburton, C. E., Jr.
Foden, E., Morrow, D. R., and Sauer, J. A.: The Effect of Molecular Weight on the Fatigue Behavior of Polystyrene, 519
Freeguard, G. F. and Karmarkar, M.: The Production of Rubber-Modified Polystyrene. Some Criteria Influencing the Selection and Design of the Agitator System, 69
French, A. D.: Comments on the Proposed Helical Structure of Cellulose I, 1579

French, D. M., Chang, M. S., and Tompa, A. S.: The Effect of Varying Molecular Weight Distribution on the Properties of Binders, 1615
——: see Price, E.
Frick, F. G., Jr.: see Andrews, B. A. K.
Fritzinger, B. K.: see Brauman, S. K.
Frommer, M. A. and Lancet, D.: Freezing and Nonfreezing Water in Cellulose Acetate Membranes, 1295
Frost, L. W.: see Boser, G. M.
Fujii, S. and Maeda, K.: Radiation-Induced Copolymerization of Vinylphosphonic Dichloride with Methyl Methacrylate and Styrene, 1331
Fujiyama, M. and Awaya, N.: Relationship in Polypropylene Melt Between Its Linear Viscoelasticity and Its Steady Capillary Flow Properties, 275
—— and Kagiyama, Y.: Melt Rheology of High-Density Polyethylene, 3361
Gabrielli, G. and Puggelli, M.: Surface Properties Fluorostyrene Polymers, 2427
Gandhi, K. S. and Williams, M. C.: Effect of Solvent Character on Polymer Entanglements, 2721
Garbuglio, C.: see Pezzin, G.
Gendron, B. M.: see Shultz, A. R.
George, M.: see Reine, A. H.
Gibson, M. E.: see Peebles, L. H., Jr.
Gilbert, S. and Liepins, R.: Treatment for Improving Flame Retardancy of Wool and Minimizing Toxic Gas Evolution in Burning, 1009
Gillham, J. K.: Optimization of the Thermomechanical Behavior of a Poly(Chromium(III) Trisphosphinate), 917
—— and Glazier, K. C.: Thermomechanical Behavior of "BBB" Polymer, 2153
——, Hallock, K. D., and Stadnicki, S. J.: Thermomechanical and Thermogravimetric Analyses of Systematic Series of Polyimides, 2595
——: see Martin, J. R.
——: see Roller, M. B.
Gilliland, B. F. and Smith, B. F.: Flame-Retardant Properties and Thermal Behavior of Selected Flame-Retardant Cotton Fabrics, 1801
Gipstein E.: see James, P. M.
Glass, J. E. and Fields, J. W.: Performance Relationships in PVC–Plasticizer Dry Blending, 2269
Glazier, K. C.: see Gillham, J. K.
Gogolewski, S. and Turska, E.: Isothermal Crystallization of Copolyamides. I. Kinetics of Crystallization of Nylon 6-Piperazine Adipate and Nylon 6-Piperazine Terephthalate Random Copolyamides, 1959
Goineau, A. M.: see Stannett, V. T.
Goldfinger, G.: see Allen, E. H.
Good, W. R.: see Kramer, O.
Gordon, R. J. and Balakrishan, C.: Vortex Inhibition: A New Viscoelastic Effect with Importance in Drag Reduction and Polymer Characterization, 1629
——: see Everage, A. E., Jr.
Gramain, Ph.: see Grubisic-Gallot, Z.
Gregges, A. R.: see James, P. M.
Gregory, D. R.: Rheological Properties of Molten Poly(ethylene Terephthalate), 1479
——: Melt Viscosities of Molten Poly(ethylene Terephthalate) Calculated from Modified Bueche-Harding Equation, 1489
——: see Wampler, F. C.
Grubisic-Gallot, Z., Picot, M., Gramain, Ph., and Benoit, H.: Characterization of Homopolymers and Copolymers by the Coupling of Gel Permeation Chromatography and Automatic Viscometry, 2931
Guillod, M. S. and Bauer, R. G.: Some Effects of Emulsion Polymerization Conditions on Molecular Polydispersity and Rheological Properties of Poly(methyl Methacrylate), 1457
Guthrie, J. T., Huglin, M. B., and Phillips, G. O.: Radiation-Induced Graft Copolymerization of Styrene to Cellulose, 10017
Haanaes, E.: see Sund, E.
Haas, H. C. and MacDonald, R. L.: Dichotomies in the Viscosity Stability of Polyacrylamide Solutions. II. 2709
Haga, T. and Ishibashi, H.: Dynamic Viscoelastic Behavior of Styrene-Grafted Nylon 6 Fiber, 1925
Hagege, R. and Tung, D. M.: A New Physicochemical Technique for Studying Native and Modified Structures of Polymer Fibers: The Continuous Measurement of Length Variations, Under Tension, in a Swelling Medium of Continuously Variable Concentrations, 1427
Hall, J. R., Westerdahl, C. A. L., Bodnar, M. J., and Levi, D. W.: Effect of Activated Gas Plasma Treatment Time on Adhesive Bondability of Polymers, 1465
Hallock, K. D.: see Gillham, J. K.
Hámielec, A. E.: see Abdel-Alim, A. H.
——: see Hui, A. W.
Han, C. D., Lamonte, R. R., and Shah, Y. T.: Studies on Melt Spinning. III. Flow Instabilities in Melt Spinning: Melt Fracture and Draw Resonance, 3307
——: see Lamonte, R. R.
Hara, K. and Schonhorn, H.: Heterogeneous Nucleation and Crystallization of Polyethylene with Gold: Dilatometry, 1103
——, Kwei, T. K., and Schonhorn, H.: Characterization of High-Density Polyethylene Prepared at Low Pressure, 2353
Harada, M., Nomura, M., Kojima, H., Eguchi, W. and Nagata, S.: Rate of Emulsion Polymerization of Styrene, 811

——: see Nomura, M.
Harlan, J. T.: see Booth, C.
Hatakeyama, H.: see Kimura, M.
Hayashi, S.: see Ogiwara, Y.
Hayduk, W. and Laudie, H.: Optimum Method for Osmotic Pressure Measurements with Membrane-Permeating Solutes, 3003
Healy, E. M., Ramsley, A. O., and Natsios, B. A.: Polyelectrolyte Effect and Conformational Transition in a Restricted Polyacid Structure, 37
Hendrix, J. E., Drake, G. L., Jr., and Barker, R. H.: Pyrolysis and Combustion of Cellulose. II. Thermal Analysis of Mixtures of Methyl α-D-Glucopyranoside and Levoglucosan with Model Phosphate Flame Retardants, 41
——, Drake, G. L., Jr., and Barker, R. H.: Pyrolysis and Combustion of Cellulose. III. Mechanistic Basis for the Synergism Involving Organic Phosphates and Nitrogenous Bases, 257
Henson, J. H. L. and Hybart, F. J.: The Degradation of Poly(vinyl Chloride). I. Hydrogen Chloride Evolved from Solid Samples and from Solutions, 1653
Hergenrother, W. L.: Characterization of Networks from the Peroxide Cure of Polybutadiene, 2611
Hespe, H. H.: see Morbitzer, L.
Higgs, D. A. and Manley, T. R.: A Thermoanalytical Determination of the Activation Energy of the Decomposition of Azodiisobutyronitrile, 1039
Hirai, T. and Kline, D. E.: Dynamic Mechanical Properties of Nonstoichiometric Amine-Cured Epoxy Resin, 3145
Hisue, G.-H.: see Murakami, K.
Hlaváček, B. and Seyer, F. A.: Determination of Parameters in Convected Maxwell Model from Linear Viscoelastic Parameters, 423
Hobbs, S. Y.: see Kovacs, A. J.
Hoegy, H. L. W.: see Rudin, A.
Hoge, K. G.: see Rinde, J. A.
Höjfors, R. J. V. and Flodin, P. G. M.: A Recording Differential Dilatometer for the Investigation of Polymer Crystallization Rates and Melting Temperatures, 1859
Holliday, L. and Holmes-Walker, W. A.: A New Structural Parameter of Polymers—The Relative Number of Network Bonds per Unit Volume, 139
Holmes-Walker, W. A.: see Holliday, L.
Holtschmidt, H. and Mark, H.: To Otto Bayer for His 70th Birthday, 2447
Hopfenberg, H. B.: see Radi, F. S.
Hopkins, I. L.: see Knoff, W. F.
Hoshino, S.: see Ogawa, T.
Hossain, T. M. A.: see Squire, D. R.
Howard, N., Huglin, M. B., and Richards, R. W.: Viscosity Slope Constants for Solutions of Nylon 6 and Polytetrahydrofuran, 1525
Huang, R. Y.: see Chang, K. S.
Hudis, M.: Surface Crosslinking of Polyethylene Using a Hydrogen Glow Discharge, 2397
Huglin, M. B. and Johnson B. L.: Graft Copolymerization of Acrylic Acid to Nylon 6 by Mutual Irradiation. II. The Influence of Cupric Ions, 921
——: see Guthrie, J. T.
——: see Howard, N.
Hui, A. W. and Hamielec, A. E.: Thermal Polymerization of Styrene at High Conversions and Temperatures. An Experimental Study, 749
Hybart, F. J. and Rowley, G. N.: The Action of Tridecyl Phosphite in the Stabilization of Poly(vinyl chloride) with Metal Soaps, 715
——: see Henson, J. H. L.
Ichikawa, F.: see Kojima, K.
Iijima, T.: see Morita, Z.
Irick, G., Jr.: Determination of the Photocatalytic Activities of Titanium Dioxides and Other White Pigments, 2387
Ishibashi, H.: see Haga, T.
Ishikawa, H.: see Osawa, Z.
Ishizuka, T.: see Osawa, Z.
Iwabuchi, S.: see Kojima, K.
James, P. M., Ouano, A. C., Gipstein, E., and Gregges, A. R.: Problems Associated with the Gel Permeation Chromatography of Sulfur-Containing Polymers, 2425
Jellinek, H. H. G. and Blom, B.: Diffusion of Poly(vinylpyrrolidone) Through Cellulose Ester Membranes, 527
Jerome, R. and Desreux, V.: Electrochemical Behavior of a Snake-Cage Cation Exchange Membrane. Membrane Potential, 2739
Jerussi, R. A. and Orlando, C. M.: Imidazole Catalysis in Carbamate and Polyurethane Formation, 2853
Johnson, B. L.: see Huglin, M. B.
Johnston, H. K. and Sourirajan, S.: Mark–Houwink Constants for Some Cellulose Acetate–Organic Solvent Systems, 3375
——: see Rudin, A.
Jordan, E. F., Jr., Riser, G. R., Salber, C., and Wrigley, A. N.: Terpolymers. I. The Mechanical Properties and Transition Temperature of Terpolymers of *n*-Octadecyl Acrylate, Ethyl Acrylate, and Acrylonitrile, 3017
Joseph, K. T.: see Rao, K. P.
Joynson, C. W.: see Robertson, R. E.
Jozefowicz, J.: see Aptel, P.
Kabaivanov, V.: see Konstantinov, Chr.
Kaeriyama, K., Shimura, Y., and Yamaguchi, T.: Photodegradation of Brominated Polystyrene, 3035
Kagiyama, Y.: see Fujiyama, M.
Kale, K. M.: see Roy-Chowdhury, P.
Kamal, M. R., El-Kaissy, M. M., and

Avedesian, M. M.: The Effect of Solvent Traces on the Ultraviolet Degradation of Poly(vinyl Chloride), 83
Kanai, T.: see Matsuzaki, K.
Kantz, M. R., Newman, H. D., Jr., and Stigale, F. N.: The Skin-Core Morphology and Structure-Property Relationships in Injection-Molded Polypropylene, 1249
Karmarkar, M.: see Freeguard, G. F.
Katayama, K.: see Nakamura, K.
Kelkar, J. V. and Mashelkar, R. A.: Drag Reduction in Dilute Polymer Solutions, 3047
Keniry, J. S.: see Blackadder, D. A.
Kennedy, W. D.: see Wampler, F. C.
Kern, W. J., Anderson, J. N., Adams, H. E., Bouton, T. C., and Bethea, T. W.: Thermal Stability of "Living" Polymer-Lithium Systems, 3123
——: see Anderson, J. N.
Khanna, S. K.: see Powell, E.
Kimura, M., Hatakeyama, H., Usuda, M., and Nakano, J.: Studies on Absorbed Water in Cellulose by Broad-Line NMR, 1749
King, W. D.: see Stanonis, D. J.
Kirby, J. R.: see Peebles, L. H., Jr.
Klemchuk, P. P.: see Patel, A. R.
Kline, D. E.: see Hirai, T.
Knight, G. J. and Wright, W. W.: The Thermal Degradation of Hydrofluoro Polymers, 683
—— and Wright, W. W.: The Thermal Degradation of Perfluoro Polymers, 739
Knoff, W. F. and Hopkins, I. L.: An Improved Numerical Interconversion for Creep Compliance and Relaxation Modulus, 2963
Kobayashi, A. and Ohtani, N.: The Effects of Initial Nonconstant Transient Cross-Head Speed on the Stress–Strain Curve of Viscoelastic Material, 2523
Kober, A. E.: see Wisotsky M. J.
Kohn, S.: see Duval, M.
Kojima, H.: see Harada, M.
Kojima, K., Iwabuchi, S., Murakami, K., Kojima, K., and Ichikawa, F.: The Grafting of Methyl Methacrylate onto Cotton by Tri-*n*-butylborane, 1139
Konstantinov, Chr., Konstantinova, T., Draganov, A., and Kabaivanov, V.: The Polycondensation of Dimethyl Terephthalate and Ethylene Glycol in the Presence of Dye Derivatives of 1,3,5-*syn*-Triazine, 725
——: see Novakov, P.
Konstantinova, T.: see Konstantinov; Chr.
Kovacs, A. J. and Hobbs, S. Y.: Optical Detection of Thermal Transitions in High Polymers, 301
Kramer, O. and Good, W. R.: Correlating Mooney Viscosity to Average Molecular Weight, 2677
Kratochvil, P. and Babka, J.: Modification of a Brice-Phoenix Differential Refractometer Cell for Measurements of Highly Refractive Liquids, 1053
Kubota, H. and Ogiwara, Y.: Effect of Metallic Ions in Photo-Induced Graft Copolymerization onto Cellulose, 337
—— and Ogiwara, Y.: Photo-Induced Graft Copolymerization of Methyl Methacrylate on Poly(vinyl Alcohol), 965
——: see Ogiwara, Y.
Kwei, T. K.: see Hara, K.
Lamaze, C. E.: see Yasuda, H.
Lamonte, R. R. and Han, C. D.: Studies on Melt Spinning. II. Analysis of the Deformation and Heat Transfer Processes, 3285
——: see Han, C. D.
Lancet, D.: see Frommer, M. A.
Lau, W. Y.: see Burns, C. M.
Laudie, H.: see Hayduk, W.
Lee, Y.-D.: see Sundstrom, D. W.
LeGrand, D. G.: Yielding, Crazing, and Fracture of Polymers. II. Studies of the Retraction of Crazed and Drawn Films, 1367
Lenk, R. S.: Thermal Properties of Unfilled Cast Cured Sheets of Polyesters Based on Bisacid A2, 129
——: Crosslinked Polyesters from "Bisacid A2." The Mechanical Properties of Glass Fiber-Reinforced Laminates, 2921
Lepie, A. and Adicoff, A.: Dynamic Mechanical Behavior of Highly Filled Polymers: Dewetting Effect, 1155
Levi, D. W.: see Hall, J. R.
Liepins, R. and Sakaoku, K.: Submicron Polymer Powder in Electrodeless Radio Frequency-Induced Plasma-Initiated Polymerization, 2633
——: see Gilbert, S.
Lightsey, G. R.: see Serafini, T. T.
Lin, C. J. and Bell, J. P.: The Effect of Polymer Network Structure Upon the Bond Strength of Epoxy–Aluminum Joints, 1721
Lipatov, Yu. S. and Fabulyak, F. Y.: Relaxation Processes in the Surface Layers of Polymers at the Interface, 2131
Loan, L. D.: see Salmon, W. A.
Ludema, K. C.: see Bahadur, S.
MacDonald, R. L.: see Haas, H. C.
MacKillop, D.: see Adamek, S.
MacLean, D. L.: see White, J. L.
Maeda, K.: see Fujii, S.
Maher, G. G.: see Douglas, J. A.
Manjeshwar, J. M.: see Shenai, V. A.
Manjunath, B. R. and Peacock, N.: Chain Conformations in Cellulose I and Cellulose II, 1305
Manley, T. R.: see Higgs, D. A.
Marcinčin, K., Romanov, A., and Pollák, V.: Study of Dynamic Mechanical Properties of Poly(vinyl Chloride)–Ethylene Vinyl Acetate Copolymer and Poly(vinyl Chloride)–Chlorinated

Ethylene Vinyl Acetate Copolymer Mixtures, 2239
Marjoram, J. R.: see Thorne, D. J.
Mark, H.: see Holtschmidt, H.
Martin, J. R. and Gillham, K. J.: Amorphous Polyolefins: A Relationship Between Molecular Structure, Submolecular Motion, and Mechanical Behavior, 2091
Mashelkar, R. A.: see Kelkar, J. V.
Masuko, T.: see Tanaka, H.
Matsuura, T. and Sourirajan, S.: Physicochemical Criteria for Reverse Osmosis Separation of Aldehydes, Ketones, Ethers, Esters, and Amines in Aqueous Solutions Using Porous Cellulose Acetate Membranes, 1663
—— and Sourirajan, S.: Reverse Osmosis Separation of Phenols in Aqueous Solutions Using Porous Cellulose Acetate Membranes, 2531
Matsuzaki, K., Kanai, T., and Morita, N.: Polymer Structure Formed in Radiation-Induced Graft Polymerization, 15
——, Nakamura, S., and Shindo, S.: Radiation-Induced Graft Copolymerization of Mixtures of Styrene and *n*-Butyl Acrylate onto Cellulose and Cellulose Triacetate, 1339
——: see Nakamura, S.
Mayhan, K. G.: see Beeson, J. J.
——: see Culter, J. D.
——: see Thompson, L. F.
McIntire, L. V.: On the Initiation of Melt Fracture, 2901
McIntyre, D.: see Fetters, L. J.
Meeks, A. C.: see Merrall, G. T.
Mehta, R. U. and White, J. L.: Blocking and Copolymer Heterogeneity in Anionic Copolymerization in Industrial Reactors, 885
Meier, J. F., Rudd, G. E., and Rosenblatt, G. B., Jr.: Long-Term Stiffening of Neoprene Pads for the Poseidon Missile Launch System, 559
Meissner, J.: Modification of the Weissenberg Rheogoniometer for Measurement of Transient Rheological Properties of Molten Polyethylene Under Shear. Comparison with Tensile Data, 2877
Menefee, E.: Polydisperse Polymers: Relations Among Molecular Weight Distribution, Stress Relaxation, and Distribution of Relaxation Times, 2215
Merrall, G. T. and Meeks, A. C.: Effect of Thermal Aging on Mechanical Properties of an Epoxy Resin System, 3389
Meyer, B. H.: see Fetters, L. J.
Miltz, J. and Ram, A.: A Three-Parameter Equation for Molecular Weight Distribution of Low-Density Polyethylene, 2051
Mininni, R. M. and Tobolsky, A. V.: Properties of DEXSIL 300 Rubbers, 2555
Minoura, Y.: see Nakano, A.
Mitanov, P.: see Novakov, P.
Moore, N. B.: see DeVries, K. L.
Morbitzer, L. and Hespe, H. H.: Correlations Between Chemical Structure, Stress-Induced Crystallization, and Deformation Behavior of Polyurethane Elastomers, 2697
Morel, G.: see Aptel, P.
Morgan, P. E. D. and Scott, H.: Simultaneous Polymerization and Molding of Pyrrone Polymers, 2029
Mori, K.: see Nakamura, Y.
Morimoto, K. and Suzuki, S.: Ultraviolet Irradiation of Poly(alkyl Acrylates) and Poly(alkyl Methacrylates), 2947
Morimoto, M. and Okamoto, Y.: Solution Properties and Molecular Structures of EPM and EPDM, 2795
Morita, N.: see Matsuzaki, K.
Morita, Z., Iijima, T., and Sekido, M.: Studies on Mixture Dyeing. IV. Equilibrium Adsorption of Direct Dyes, 407
Morrow, D. R.: see Foden, E.
Murakami, K. and Hisue, G.-H.: Rubber Elasticity on Chemical Relaxation, 2249
——: see Kojima, K.
——: see Tamura, S.
Myatt, J.: see Ballard, D. G. H.
Nabar, G. M., Shenai, V. A., and Shenai, V. A., Jr.: Reaction of Formaldehyde with Cellulose in the Presence of Sulfuric Acid, 1417
Nagasubramanian K. and Reimschuessel, H. K.: Caprolactam Polymerization. Polymerization in Backmix Flow Systems, 929
Nagata, S.: see Harada, M.
——: see Nomura, M.
Nakagawa, T. and Yamada, S.: Modification of Polyolefin Films by Photochlorination, 1997
——: see Yamada, S.
Nakajima, N.: Fractionation of Linear Polyethylene with Gel Permeation Chromatography. Narrow Molecular Weight-Distribution Samples, 2417
Nakamura, K., Watanabe, T., Katayama, K., and Amano, T.: Some Aspects of Nonisothermal Crystallization of Polymers. I. Relationship Between Crystallization Temperature, Crystallinity, and Cooling Conditions, 1077
Nakamura, S., Otake, T., and Matsuzaki, K.: Thermal Behavior of Polymethacrylonitrile, 1817
——: see Matsuzaki, K.
Nakamura, Y., Mori, K., Sugimoto, K., Tamura, K., and Saito, Y.: Modification of Poly(vinyl Chloride). XIX. Electroplating of Poly(vinyl Chloride), 2727
Nakano, A. and Minoura, Y.: Effect of Solvents on the Degradation of Polymers by High-Speed Stirring, 627

Nakano, J.: see Kimura, M.
Nanassy, A. J.: Measurement of Free-Radical Concentration in Solids by Electron Paramagnetic Resonance Comparison Technique, 2577
Narasimhan, V.: see Varma, D. S.
Natsios, B. A.: see Healy, E. M.
Nayudamma, Y.: see Rao, K. P.
Neel, J.: see Aptel, P.
Newman, H. D., Jr.: see Kantz, M. R.
Nomura, M., Harada, M., Eguchi, W., and Nagata, S.: Effect of Stirring on the Emulsion Polymerization of Styrene, 835
——: see Harada, M.
Novakov, P., Konstantinov, Chr., and Mitanov, P.: A Study of the Compatibility of Synthetic Rubbers with Phenolic Resins, 1827
Ogawa, T., Tanaka, S., and Hoshino, S.: Effects of Combination of Solvent and Nonsolvent on the Fractionation of Polypropylene, 2257
Ogiwara, Y., Kubota, H., Hayashi, S., and Sekine, K.: NMR Study of Adsorbed Water on Acrylic Acid-Grafted and Methacrylic Acid-Grafted Cellulose, 2197
——: see Kubota, H.
——: see Osawa, Z.
Ohtani, N.: see Kobayashi, A.
Ojima, N.: see Sakamoto, M.
Okajima, S.: see Tanaka, H.
Okamoto, Y.: see Morimoto, M.
Olf, H. G.: see Peterlin, A.
Olson, E. S.: see Duffy, E. A.
Oraby, W.: see Squire, D. R.
Orlando, C. M.: see Jerussi, R. A.
Osawa, Z., Ishizuka, T., Ogiwara, Y., Suzuki, H., and Ishikawa, H.: Catalytic Action of Metallic Salts, Autoxidation and Polymerization. VI. The Inhibitive Effects of Transition-Metal N,N -Diethyldisenlenocarbamates on the Thermally Oxidative Degradation of Isotactic Polypropylene, 955
Otake, T.: see Nakamura, S.
Otocka, E. P.: see Albarino, R. V.
Ouano, A. C.: see James, P. M.
Ozawa, T.: see Sakamoto, R.
Pageau, L. and Sourirajan, S.: Improvement of Porous Cellulose Acetate Reverse Osmosis Membranes by Change of Casting Conditions, 3185
Pallesi, B.: see Coppola, G.
Palma, G. and Carenza, M.: Degradation of Poly(vinyl Chloride). II. Kinetic Investigation of Thermal and Radiation-Induced Polyene Formation at Low Temperatures, 2485
Panaris, R.: see Peyrouset, A.
Papa, A. J., and Proops, W. R.: Influence of Structural Effects of Halogen and Phosphorous Polyol Mixtures on Flame Retardancy of Flexible Polyurethane Foams, 2361
Papazian, H. A.: Prediction of Polymer Degradation Kinetics at Moderate Temperatures from TGA Measurements, 2503
Parrish, C. F.: see Biggs, W. T.
Parsons, F. M.: see Bottomley, S.
Patel, A. R., DiBattista, A. D., and Klemchuk, P. P.: Stabilization of Unsaturated Elastomers with Phenolic Antioxidants, 2751
Patterson, G. K.: see Culter, J. D.
Paul, D. R.: The Role of Membrane Pressure in Reverse Osmosis, 771
Payne, A. R., Whittaker, R. E., and Smith, J. F.: Effect of Vulcanization on The Low-Strain Dynamic Properties of Filled Rubbers, 1191
Peacock, N.: see Manjunath, B. R.
Peebles, L. H., Jr., Thompson, R. B., Jr., Kirby, J. R., and Gibson, M. E.: Basic Dyeability and Acid Content of High-Conversion Polacrylonitrile, 3341
Pepperman, A. B., Jr., and Chance, L. H.: Reaction of Hexamethylphosphorous Triamide with Cotton Cellulose, 1833
Perrier, D. M.: see Soignet, D. M.
Peterlin, A., Yasuda, H., and Olf, H. G.: Flow of Water through Highly Swollen Membranes, 865
Pettersson, B. A.: see Alim, K. E.
Peyrouset, A. and Panaris, R.: A New Instrument for Preparative Gel Permeation Chromatography, 315
Pezzin, G., Ajroldi, G., Casiraghi, T., Garbuglio, C., and Vittadini, G.: Dynamic Mechanical and Tensile Properties of Polyl(vinyl Chloride). Influence of Thermal History and Crystallinity, 1839
Phillips, G. O.: see Guthrie, J. T.
Phillips, R. B., Brown, W., and Stannett, V. T.: The Graft Copolymerization of Styrene and Lignin. II. Kraft Softwood Lignin, 1
Picot, M.: see Grubisic-Gallot, Z.
Piersma, J. D.: see Carraher, C. E., Jr.
Pliskin, I. and Tokita, N.: Bound Rubber in Elastomers: Analysis of Elastomer-Filler Interaction and Its Effect on Viscosity and Modulus of Composite Systems, 473
Plochocki, A.: On the Rheology of Molten Blends of Polyolefins. X. Homogeneity and High Shear (Poiseuille's) Melt of Polypropylene–Polyethylene Blends, 987
Pollák, V.: see Marcinčin, K.
Ponter, A. B.: see Boyes, A. P.
Porter, B. R. and Rollins, M. L.: Changes in Porosity of Treated Lint Cotton Fibers. I. Purification and Swelling Treatments, 217
—— and Rollins, M. L.: Changes in Porosity of Treated Lint Cotton Fibers. II. Treatments for Chemically Modifying Cotton, 237
Powell, E. and Khanna, S. K.: The Rheological Properties of Vinyl Chloride–Vinyl Acetate Copolymers, 2013
Preston, J., Smith, R. W., and Sun, S. M.:

Fibers from Aromatic Copolyamides of Limited Order, 3237
Price, E., French, D. M., and Tompa, A. S.: The Glass Transition Temperature of a Filled Binder by Nuclear Magnetic Resonance and Thermal Mechanical Analysis, 157
Price, R. L.: see White, J. L.
Proops, W. R.: see Papa, A. J.
Prosser, R. A. and Stapler, J. T.: Protection Against Intense Light. II. The Role of the Gaseous Decomposition Products, 573
——: Protection Against Intense Light. III. The Use of Commercial Dyes in Thermal Protection, 871
Puggelli, M.: see Gabrielli, G.
Quisenberry, D. O.: see White, J. L.
Quynn, R. G.: Sticking Behavior of Preoriented PET Yarns, 3404
Radi, F. S., Hopfenberg, H. B., and Stannett, V.: Radiation Grafting of Vinyl Monomers onto Wood Pulp Cellulose. II., 2685
Ram, A.: see Miltz, J.
Ramsley, A. O.: see Healy, E. M.
Rao, K. P., Joseph, K. T., and Nayudamma, Y.: Characterization of the Collagen–Vinyl Graft Copolymers Prepared by the Ceric Ion Method. II. Infrared Spectra and Electron Microscopy, 975
Rao, L. S. and Rattee, I. D.: Interaction of Biebrich Scarlet with Keratoses from Performic Acid-Oxidized Wool, 3113
Rattee, I. D.; see Rao, L. S.
Reimschuessel H. K.: see Nagasubramanian, K.
Reine, A. H., Arthur, J. C., Jr., and George, M.: Graft Copolymers of Cellulose and Vinylic Ketones. I. Preparation of Poly(methyl Vinyl Ketone)–Cotton Cellulose Copolymers, 1893
Rende, A.: A New Approach to Coagulation Phenomena in Wet-Spinning, 585
Richards, R. W.: see Howard, N.
Richter, J. E. P.: see Ballard, D. G. H.
Rine, J. A. and Hoge, K. G.: Dynamic Shear Modulus of Polystyrene Bead Foams, 1409
Riser, G. R.: see Jordan, E. F., Jr.
Rist, C. E.: see Douglas, J. A.
Robertson, R. E. and Joynson, C. W.: Free Volume and the Annealing and Antiplasticizing of Bisphenol A Polycarbonate, 733
Rogers, C. E.: see Dale, W. C.
Rogers, M. G.: The Structure of Epoxy Resins Using NMR and GPC Techniques, 1953
Roller, M. B. and Gillham, J. K.: Thermomechanical Behavior of Poly(Carborane–Siloxane)s Containing —CB_5H_5C—Cages, 3073
—— and Gillham, J..: High-Temperature Elastomers: Glass Transition–Structure Correlations for Two Systematic Series of Linear Poly(Carborane–Siloxane)s. I., 3095
—— and Gillham, J. K.: High-Temperature Elastomers: Glass Transition–Structure Correlations for Two Systematic Series of Linear Poly(Carborane–Siloxane)s. II. Incompatibility, 3105
Rollins, M. L.: see Porter, B. R.
Romanov, A.: see Marcinčin, K.
Rose, J. S.: see Carleton, P. S.
Rosen, M. R.: Estimation of Molecular Weight Error for Concentration Uncertainties in the Intrinsic Viscosity Determination, 2435
Rosen, S. L.: see Baayens, L.
Rosenblatt, G. B., Jr.: see Meier, J. F.
Rosin, H., Daren, S. L. J., Asscher, M., and Vofsi, D.: Telomeric Plasticizers: Cotelomers Based on Vinylchloride and Carbontetrachloride, 1687
Rowley, G. N.: see Hybart, F. J.
Roy-Chowdhury, P. and Kale, K. M.: Adiabatic Compressibility of Some Amphoteric Polyelectrolytes, 2057
Rubin, J.: Interrupted Stress–Strain Experiments of Nylon 6, 1565
Rudd, G. E.: see Meier, J. F.
Rudin, A., Hoegy, H. L. W., and Johnston, H. K.: Estimation of Viscosities of Mixed Polymer Solutions, 1281
—— and Chee, K. K.: Total Applied Shear in Capillary Extrusion, 1403
Russell, C. R.: see Douglas, J. A.
——: see Fanta, G. F.
Ryan, F. W.: see Wang, T. T.
Saglio, N., Berticat, Ph., and Vallet, G.: Study of the Pyrolysis of Saturated Chlorinated Polyethylene Fibers, 2991
Saito, Y.: see Nakamura, Y.
Sakai, K. and Sobue, H.: Study of Structure and Thermal Properties of Polypropylene and Chlorinated Polypropylene by Infrared Spectroscopy and Differential Scanning Calorimetry, 2657
Sakamoto, M., Yamada, Y., Ojima, N., and Tonami, H.: Reversible Crosslinking in Cellulose. IV. Reactions of Tosylcellulose with Potassium Thiolacetate, 1495
Sakamoto, R., Takahashi, Y. and Ozawa, T.: Mass-Spectrometric Thermal Analysis of Impurities in Epoxy Resins, 1047
Sakaoku, K.: see Liepins, R.
Salber, C.: see Jordan, E. F., Jr.
Salladay, D. G.: see White, J. L.
Salmon, W. A. and Loan, L. D.: Radiation Crosslinking of Poly(vinyl Chloride), 671
Salovey, R. and Badger, R. G.: Thermal Analysis of Irradiated Poly(vinyl Chloride), 3265
Sarge, H. D., III: see Sperling, L. H.
Sarmasti, A. A.: see Culter, J. D.
Sauer, J. A.: see Foden, E.
Sayigh, A. A. R.: see Abbate, F. W.
Sechrist, J. R.: see Wentworth, G.
Sekido, M.: see Morita, Z.

Sekine, K.: see Ogiwara, Y.
Serafini, T. T., Delvigs, P., and Lightsey G. R.: Thermally Stable Polyimides from Solutions of Monomeric Reactants 905
Seyer, F. A.: see Hlaváček, B.
Schnecko, H.: see Adamek, S.
Schneier, B.: Solubility Parameters of Two Chlorinated Polyethylene Polymers, 1515
——: Use of a Gee Relationship in a Diffusion Study, 2343
Schonhorn, H.: see Hara, K.
——: see Wang, T. T.
Schreiber, H. P.: Characterization of Polyolefins by Solution DTA, 539
Schwartz, N. V.: Ditetrazoles as Cross-linking Agents, 2715
Scott, H.: see Morgan, P. E. D.
Shah, Y. T.: see Han, C. D.
Shanker, G.: see Achwal, W. B.
Sharpe, W. N., Jr., Wasley, R. J., and Breithaupt, R. D.: A Noncontacting, Short-Gauge-Length Technique for Measuring Strains on Plastics, 1573
Shenai, V. A. and Sudan, R. K.: Studies in Chemically Modified Celluloses. IV. Lactones in Chemically Modified Celluloses, 545
—— and Manjeshwar, J. M.: Reaction of Formaldehyde with Cellulose in the Presence of Phosphoric Acid, 2073
——: see Nabar, G. M.
Shenai, V. A., Jr.: see Nabar, G. M.
Shenouda, S. G. and Viswanathan, A.: Crystalline Character of Native and Chemically Treated Egyptian Cottons. II. Computation of Variance of X-Ray Line Profile and Paracrystalline Lattice Distortions, 395
Shimura, Y.: see Kaeriyama, K.
Shindo, S.: see Matsuzaki, K.
Shinohara, I.: see Aoyagi, J.
Shultz, A. R. and Gendron, B. M.: Thermo-Optical and Differential Scanning Calorimetric Observations of Mobility Transitions in Polystyrene-Poly(2,6-Dimethyl-1,4-Phenylene Oxide) Blends, 461
Smidsrød, O.: see Sund, E.
Smith, B. F.: see Gilliland, B. F.
Smith, J. F.: see Payne, A. R.
Smith, R. W.: see Preston, J.
Smolinsky, G.: see Thompson, L. F.
Sobue, H.: see Sakai, K.
Soignet, D. M., Berni, R. J., Perrier, D. M., and Benerito, R. R.: Sodium Cellulosates—Preparation from Various Alkoxides and Reactivity toward 2-Chloroethyldiethylamine, 353
Sourirajan, S.: see Johnston, H. K.
——: see Matsuura, T.
——: see Pageau, L.
Southern, E. and Thomas, A. G.: The Impact of Rigid Spheres on Rubber, 1641
Spenadel, L.: Effect of Rubber on the Environmental Stress-Crack Resistance of Polyethylene, 2375
Spencer, A. T.: see Stancell, A. F.
Sperling, L. H. and Sarge, H. D., III: Joined and Sequential Interpenetrating Polymer Networks Based on Poly(dimethylsiloxane), 3041
Squire, D. R., Cleaveland, J. A., Hossain, T. M. A., Oraby, W., Stahel, E. P., and Stannett, V. T.: Studies in Radiation-Induced Polymerization of Vinyl Monomers at High Dose Rates. I. Styrene, 645
Stadnicki, S. J.: see Gillham, J. K.
Stahel, E. P.: see Squire, D. R.
Stancell, A. F., and Spencer, A. T.: Composite Permselective Membrane by Deposition of an Ultrathin Coating from a Plasma, 1505
Stannett, V. T., Du Plessis, T. A., and Goineau, A. M.: Molecular Sieves as Drying Agents for the Monomers in the Radiation-Induced Ionic Polymerization of Liquid Vinyl Monomers, 2847
——: see Phillips, R. B.
——: see Squire, D. R.
Stannett, V.: see Radi, F. S.
Stanonis, D. J., King, W. D., and Vail, S. L.: Influence of Chain Length on the Rate of Hydrolysis of Polyoxymethylene Ethers, 1447
Stapler, J. T.: see Prosser, R. A.
Stigale, F. N.: see Kantz, M. R.
Still, R. H., Evans, M. B., and Whitehead, A.: Thermal Degradation of Polymers. V. Vacuum Pyrolysis of Poly(*p*-N,N-dimethylaminostyrene). The Products Volatile at Pyrolysis Temperature, Liquid or Gaseous at Room Temperature, 3207
—— and Whitehead, A.: Thermal Degradation of Polymers. VI. Vacuum Pyrolysis of Poly(*p*-N,N-dimethylaminostyrene). The Residue and the Fraction Volatile at Pyrolysis Temperature, Involatile at Room Temperature, 3223
St. Pierre, L. E.: see Chawla, A. S.
Sudan, R. K.: see Shenai, V. A.
Sugimoto, K.: see Nakamura, Y.
Sukanek, P. C.: see Alberghini, D. P.
Sun, S. M.: see Preston, J.
Sund, E., Haanaes, E., Smidsrød, O., and Ugelstad, J.: Determination of Specific Surface Area of PVC by a Gas-Chromatographic Technique, 1869
Sundstrom, D. W. and Lee, Y.-D.: Thermal Conductivity of Polymers Filled with Particulate Solids, 3159
Suprunchuk, T.: see Carlsson, D. J.
Suzuki, H.: see Osawa, Z.
Suzuki, S.: see Morimoto, K.
Svensson, S. and Törnell, B.: Formation and Decomposition of Zinc Cellulose Xanthate in Acid Media, 2185
Swartz, T. D., Bly, D. D., and Edwards, A. S.: A Valid Method of Calibration which Includes Correction for Dispersion in Gel Permeation Chromatography, 3353

Takahashi, Y.: see Sakamoto, R.
Tamura, K.: see Nakamura, Y.
Tamura, S. and Murakami, K.: The Determination of Network Chain Density and the Chemical Stress Relaxation of Crosslinked Polymers, 1149
—— and Murakami, K.: Chemorheological Treatment of Crosslinked EPDM. II., 2803
Tanaka, H., Masuko, T., and Okajima, S.: Studies on the Biaxial Stretching of Polypropylene Film. VII. Refractive Index of Film Measured with Abbé Refractometer, 441
Tanaka, S.: see Ogawa, T.
Thomas, A. G.: see Southern, E.
Thompson, L. F. and Smolinsky, G.: A Scanning Electron Microscope Study of Plasma-Polymerized Organosilicon Films Suitable for Use as Lightguides. A Determination of the Cause of Signal Attenuation, 1179
—— and Mayhan, K. G.: The Plasma Polymerization of Vinyl Monomers. I. The Design, Construction, and Operation of an Inductively Coupled Plasma Generator and Preliminary Studies with Nine Monomers, 2291
—— and Mayhan, K. G.: The Plasma Polymerization of Vinyl Monomers. II. A Detailed Study of the Plasma Polymerization of Styrene, 2317
Thompson, R. B., Jr.: see Peebles, L. H., Jr.
Thorne, D. J. and Marjoram, J. R.: Optical Properties and Orientation of Thermally Treated Acrylic Fibers, 1357
Ting, R. Y.: On the Mechanisms for Drag Reduction: A Viscoelastic Evaluation Based on a Bead-Spring Model, 3169
Tobolsky, A. V.: see Chen, C. T.
——: see Mininni, R. M.
Tokita, N.: see Pliskin, I.
Tompa, A. S.: see French, D. M.
——: see Price, E.
Tonami, H.: see Sakamoto, M.
Tornell, B.: see Svensson, S.
Tosi, C., Ciampelli, F., and Cameli, N.: Spectroscopic Examination of Ethylene–Propylene–Norbornenic Diene Terpolymers, 801
Tregonning, K. and Dyson, E.: Techniques for the Evaluation of the Drawing Behavior of Experimental Fibers, 1911
Tung, D. M.: see Hagege, R.
Turska, E.: see Gogolewski, S.
Ufford, R. C.: see White, J. L.
Ugelstad, J.: see Sund, E.
Usuda, M.: see Kimura, M.
Utracki, L. A.: On the Solubility Parameter of Polar Polymers, 1167
Vail, S. L.: see Stanonis, D. J.
Vallet, G.: see Saglio, N.
Vanzo, E.: Particle Size Control in Dispersion Polymerization, 1867
Varma, D. S. and Narasimhan, V.: Thermal Behavior of Graft Copolymers of Cotton Cellulose and Acrylate Monomers, 3325
Vieth, W. R. and Eilenberg, J. A.: Gas Transport in Glassy Polymers, 945
Viswanathan, A.: Some Explanatory Remarks on the Helical Structure of Cellulose I, 2443
——: see Shenouda, S. G.
Vittadini, G.: see Pezzin, G.
Vlastaras, A. S.: Effect and Analysis of Induced Thermal Stresses in a Potted Cylindrical Inductor, 1435
Vofsi, D.: see Rosin, H.
Wampler, F. C., Gregory, D. R., and Kennedy, W. D.: Spinning of Poly(ethylene Terephthalate) Fibers from a Melt Pool without a Spinneret, 99
—— and Gregory, D. R.: Thermal and Hydrolytic Degradation of Poly(1,4-cyclohexylene-dimethylene Terephthalate), 3253
Wang, T. T., Ryan, F. W., and Schonhorn, H.: Effect of Bonding Defects on Shear Strength in Tension of Lap Joints Having Brittle Adhesives, 1901
Warburton, C. E., Jr., and Flynn, L. T.: A Radiotracer Study of Durability of Acrylic Soil Release Polymers to Laundering, 1235
——: A Thermoanalytical Study of Chemical Reactions of Durable Press and Acrylic Soil Release Textile Finishing Agents, 2859
Wasley, R. J.: see Sharpe, W. N., Jr.
Watanabe, T.: see Nakamura, K.
Wentworth, G. and Sechrist, J. R.: Properties of Fiber from Acrylonitrile–Vinyl Chloride Alternating Copolymer, 1863
Wessling, R. A.: see Bohme, R. D.
Westerdahl, C. A. L.: see Hall, J. R.
Westervelt, D. C.: see Dixon, G. D.
White, I. F.: see Brown, C. W.
White, J. L., Ufford, R. C., Dharod, K. R., and Price, R. L.: Experimental and Theoretical Study of the Extrusion of Two-Phase Molten Polymer Systems, 1313
——, Salladay, D. G., Quisenberry, D. O., and MacLean, D. L.: Gel Permeation and Thin-Layer Chromatographic Characterization and Solution Properties of Butadiene and Styrene Homopolymers and Copolymers, 2811
——: see Mehta, R. U.
Whitehead, A.: see Still, R. H.
Whittaker, R. E.: see Payne, A. R.
Wiles, D. M.: see Carlsson, D. J.
——: see Day, M.
Williams, B. L.: Correlation Between Tan δ and Bashore Rebound for Polyurethane Elastomers, 3387
Williams, M. C.: see Gandhi, K. S.
Williams, M. L.: see DeVries, K. L.
Wise, M. L.: see Cunningham, R. E.
Wisotsky, M. J. and Kober, A. E.: Copolymerization of Ethylene with

Vinyl Acetate. II. Effect of Solvent on Polymer Yield and Molecular Weight, 849
Woodhams, R. T.: see Xanthos, M.
Wrasidlo, W.: see Yalof, S.
Wright, A. N.: see Christopher, A.
Wright, W. W.: see Knight, G. J.
Wrigley, A. N.: see Jordan, E. F., Jr.
Xanthos, M. and Woodhams, R. T.: Polymer Encapsulation of Colloidal Asbestos Fibrils, 381
Yalof, S. and Wrasidlo, W.: Cross-Checking Between Dielectric Measurements, DTA, and Other Methods of Thermal Analysis in Research and Production, 2159
Yamada, S. and Nakagawa, T.: Modification of Permeation and Wettability in Polyethylene Film by Photochlorosulfonation, 535
——: see Nakagawa, T.
Yamada, Y.: see Sakamoto, M.
Yamaguchi, T.: see Kaeriyama, K.
Yasuda, H. and Lamaze, C. E.: Transfer of Gas to Dissolved Oxygen in Water Via Porous and Nonporous Polymer Membranes, 595
——: see Peterlin, A.
Zakin, J. L.: see Culter, J. D.
Zeronian, S. H. and Cabradilla, K. E.: Action of Alkali Metal Hydroxides on Cotton, 113

SUBJECT INDEX, VOLUME 16

Acetone-cellulose acetate solution, capillary flow, 2175
Acid media, zinc cellulose xanthate decomposition and formation in, 2185
Acidic groups, in oxycelluloses, 1791, 1873
Acrylamide, graft copolymers of starch, 2835
Acrylate monomers, graft copolymers, 3335
Acrylic acid, graft cellulose, adsorbed water, 2193
  graft copolymerization to nylon 6, 921
Acrylic fibers, optical properties and orientation, 1357
  solvent dyeing, 1537
Acrylic soil release polymers, 1235
Acrylic soil release textile finishing agents, 2859
Acrylonitrile terpolymers, *n*-octadecyl acrylate and acrylonitrile, 3017
Acrylonitrile-vinyl chloride copolymer fiber, 1863
Adhesive bondability, of polymers, effect gas plasma treatment, 1465
Agitator system, 69
Aldehydes, reverse osmosis separation, 1663
Aluminum–epoxy joints, bond strength, 1721
Amine bases, in thermal degradation, 1213
Amines, reverse osmosis separation, 1663
Amine-cured epoxy resin, mechanical properties, 3145
Anhydrides, polyimides from, 2983
Asbestos, polymer encapsulation of, 381
Autoxidation, and polymerization, 995
Azodiisobutyronitrile, decomposition, 1037
BBB polymer, thermomechanical behavior, 2153
Bead spring model, drag reduction evaluation, 3169
Bead-spring theory, of dilute polymer solution, 1967
Biebrick scarlet, interaction with kerotoses, 3113
Binder, properties, 1615
  pyrotechnic, 1779
Bisacid A2, crosslinked polyesters in glass fiber-reinforced laminates, 2921
Block copolymers, styrene butadiene or isoprene, 107, 163
Bonding defects, effect on shear strength in brittle adhesive joints, 1901
Brice-Phoenix refractometer, 1051
Brittle behavior, amorphous polymers, 3215
Bueche-Harding equation, for melt viscosity of poly(ethylene terephthalate), 1489
Butadiene, block copolymers, 107
  homo- and copolymers, GPC and TLC, 2811
n-Butyl acrylate, radiation–induced grafting polymerization, 1339
Tri-*n*-Butylborane, for grafting methyl methacrylate, 1139
Calibrated gel columns, determine mol. wt distribution of cellulose, 2583
Calibration, GPC with dispersion correction, 3363
Capillary degradation, polystyrene solution, 3391
Capillary flow, cellulose acetate-acetone solutions, 2175
Capillary flow, cellulose acetate-acetone solutions, 2175
Capralactum, polymerization, 929
Carbamate formation, imidazole catalysis, 2853
Carbamates, thermal degradation, 1213
Carbontetrachloride, cotelomer base, 1687
Carboxyl groups, in oxycellulose, 1873
Catalysis, imidazole, carbamate and polyurethane formation, 2853
Cellulosates, sodium, preparation of, 353
Cellulose, absorbed water in, 1749
  acrylic and methacrylic acid grafted, adsorbed water, 2197
  cellulose degraded, 3063
  chemically modified, 545
  derivatives, in degradation assessment, 3063
  dialysis through, 2115, 2123
  graft copolymerization of, 337
  mol. wt. distribution, 2583
  pyrolysis and combustion of, 41, 257
  radiation-induced graft copolymerization, 1339
  reaction with formaldehyde, 1417, 2073
  reversible, crosslinking, 1495
  UV spectra, 2567
  wood pulp, radiation grafting of vinyl monomer, 2685
Cellulose I, helical structure, 1579, 2443
Cellulose I and II, chain conformations, 1305
Cellulose acetate-acetone solution, capillary flow, 2175
Cellulose acetate membranes, 663, 1295
  reverse osmosis separation, 1663, 2531, 3185
Cellulose acetate–organic solvent systems, Mark-Houwink constants for, 3375
Cellulose-cotton copolymers, 1893
Cellulose ester membranes, diffusion through, 527
Cellulose triacetate radiation-induced graft copolymerization, 1339

Chain conformations, Cellulose I and II, 1305
Chemorheology, rubber elasticity, 2249
Chromatography, gel permeation, 315, 329, 493; see also GPC.
Color, fabric, 2973
of absorbing scattering substrates, 2973
stabilization of, 61
Combustion products, anionic wool, 885, 1017
polycarbonate and polysulfone, 855
Compressibility, amphoteric polyelectrolytes, 2057
Contact angles, values for binary systems, 2207
Copolyamide, aromatic, fibers, 3237
crystallization kinetics, 1959
Copolyether, ester and methane, dialysis membranes, 2439
Copolymerization, ethylene and vinyl acetate, 849
graft, cellulose and vinyl ketones, 1893
graft, methyl methacrylate and poly(vinyl alcohol), 965
graft, radiation, 921, 1015
graft, styrene and cellulose, 1015
graft, styrene and lignin, 1
Copolymers, block, styrene and methacrylic acid, 2671
ethylene and vinyl acetate, 849
ethylene-propylene, 361
graft, collagen-vinyl, 975
graft, starch, 2835
PVC-vinyl acetate, 603
Costa Ribeiro effect, 2461
Cotelamers, based on vinylchloride and carbontetrachloride, 1687
Cotton, action of alkali metal hydroxides, 113
chemical modification of, 217, 237
crosslinking of, 935
crystalline character of, 395
Egyptian, 395
methyl methacrylate grafted onto, 1139
Cotton-cellulose, copolymers, 1893, 3325
reaction with hexamethylphosphorous triamide, 1833
Cotton fibers, flame retardant, properties, 1801
Creep compliance, numberical interconversion, 2963
Crosslinked polymers, strain density and stress relaxation, 1149
Crosslinking, polyethylene by hydrogen flow discharge, 2397
reversible in cellulose, 1495
Crosslinking agents, ditetrazoles, 2715
Crystallization, nylon 6-piperazine adipate and piperazine terephthalate, 1959
polyethylene, 1103
polyurethane elastomers, 2697
non-isothermal, of polymers, 1077
Cyclohexanol, UV surface photopolymerization, 1057
Deformation process, melt spinning, 3285
Degradation, cellulose, and phenylhydrazine derivatives, 3063
hydrolytical, polyimide films, 2909
oxidative, poly(ethylene sulfide), 2511
PVC, 1653, 2485
kinetics, polymers, 2503
DEXSIL rubbers, properties, 2555
Dialysis, binary mixtures, 2123
Dialysis, nonelectrolytes through cellulose, 2115
Dielectric measurements, thermal analysis cross-checking, 2159
Differential scanning colorimetry, polypropylene and chlorinated polypropylene 2657
Diffusion studies, Gee relationship, 2343
2,6-Dimethoxystyrene, reactivity parameters, 1309
Dimethyl terephthalate, polycondensation with ethylene glycol, 725
Dimethylaminoethyl methacrylate, nitric salt of, graft copolymers of starch, 1835
Dilatometry, 1103, 1859
Diphenylamine, polymerization adjuncts, 2433
Ditetrazoles, crosslinking agents, 2715
DTA, thermal analysis cross-checking, 2159
Drag reduction, in polymer solutions, 3047
mechanism, 3169
vortex inhibition effect, 1629
Drawing behavior of experimental fibers, 1911
Draw resonance, melt spinning, 3317
Ductile behavior, amorphous polymers, 3275
Durable press textile-finishing agents, 2859
Dyes, adsorption of, 407
in thermal protection, 871
Dyeing, solvent, of acrylic fibers, 1537
Dyeability, polyacrylonitrile, 3351
Elastomers, filled, properties of, 473
high-temperature, poly(carborane siloxane)s, 3095, 3105
polyurethane, 3387
polyurethane, structure, crystallization, deformation, 2697
unsaturated, phenolic antioxidant stabilization, 2751
Electron microscopy, 975
Electroplating, PVC, 2727
Electron paramagnetic resonance, measuring free-radical concentration, 2577
Emulsion polymerization, poly(methyl methacrylate), 1457
Encapsulation, polymer, of asbestos, 381
Epoxy-aluminum joints, bond strength, 1721
Epoxy polymers, dielectric strength, 1983
Epoxy resin, amine-cured, mechanical properties, 3145
analysis of impurities in, 1045
structure, 1953
system, mechanical properties, 3389
Equation for mol. wt. distribution, 2051
Ester, copolyether, dialysis membranes, 2439
Esters, reverse osmosis separation, 1663

Ethers, reverse osmosis separation, 1663
Ethyl acrylate terpolymer, *n*-octadecyl acrylate and acrylonitrile, 3017
Ethylbenzene, UV surface photopolymerization, 1057
Ethylene, copolymers of, 849
terpolymers of, 801
Ethylene glycol, polycondensation with dimethyl terephthalate, 725
Ethylene-propylene copolymer, structure and solution properties, 2795
crosslinked, 2803
Ethylene-propylene-ethylidenenorbornene terpolymers, structure and solution properties, 2795, 2803
Ethylene vinyl acetate, copolymers of PVC, 2239
Ethylidenenorbornene-propylene-ethylene terpolymer, structure and solution properties, 2795, 2803
Extrusion, capillary, shear in 1403
studies of molten polymer systems, 1313
Fabric color, 2973
Fibers, acrylonitrile-vinyl chloride copolymers, 1863
aromatic copolyamides, 3237
drawing behavior evaluation, 1911
saturated chlorinated polyethylene, pyrolysis, 2991
Films, organo-silicon, plasma polymerized, 1179
polyimide, hydrolytic degradation, 2909
polymer, crazed and drawn, 1367
poly(tetrahydrafluoroethylene), for membranes, 1061
poly(vinyl fluoride), thermal stability, 3039
Flame retardancy, polyurethane foams, 2361
wool, 1009
Flame retardant cotton fabrics, 1801
Flow instabilities, melt spinning, 3307
Fluorostyrene polymers, properties, 2483
Foam, integral-skin, formation, 1735
polystyrene bead, shear modulus, 1409
polyurethane, 1387, 2361
Formaldehyde, reaction with cellulose, 1417, 2073
Formaldehyde-phenol resins, GPC analyses, 1585
Fractionation, polypropylene, 2257
Fracture initiation, polymer melts, 2901
Free-radical concentration, by electron paramagnetic resonance, 2577
Gamma ray induced polymerization, hexamethylcyclosiloxanes, 1887
Gas chromatographic determination, PVC surface area, 1869
Gas plasma treatment, effect on adhesive bondability of polymers, 1465
Gas transport, glassy powders, 945
Gee relationship, diffusion study, 2343
Gel permeation chromatography, see GPC
Glass fiber laminates, reinforced crosslinked polyesters, 2921
Glass transition, structure correlations, poly(carborane siloxane)s, 3095, 3105
Glass transition temperature, of binders, 157
Gold crystallization and nucleation, with polyethylene, 1103
GPC, butadiene and styrene polymers, 2811
calibration with dispersion corrected, 3363
characterization of homo- and copolymers, 2931
epoxy resin structure, 1953
fractionation linear polyethylene, 2417
phenol-formaldehyde resols, 1585
salt effect on, of partially charged polymers, 2928
sulfur-containing polymers, 2425
Graft copolymerization, cellulose and vinylic ketones, 1893
methyl methacrylate and poly(vinyl alcohol), 965
photoinduced, 337
radiation-induced, 15, 921, 1015, 1339
styrene and lignin, 1
Halogen, effect flame retardancy polyurethane foams, 2361
Heat transfer process, melt spinning, 3285
Helical structure, cellulose I, 1579, 2443
Hexamethylcyclotetrasiloxane, gamma ray-induced polymerization, 1887
Hexamethylcyclotrisiloxane, gamma ray-induced, polymerization, 1887
Hexamethylphosphorous triamide, reaction with cotton cellulose, 1833
Hydrofluoro polymers, thermal degradation, 683
Hydrogen chloride, from PVC, 1653
Hydrogen glow discharge, crosslinking polyethylene, 2397
Hydrolysis, polyoxmethylene ethers, 1447
Hydrolytic degradation, poly(1,4-cyclohexylenedimethyl terephthalate), 3253
Hydroxypropylenemethylcellulose, photodepolymerization, 2449
Imidazole catalysis, carbamate and polyurethane formation, 2853
Inductor, potted, 1435
Infrared spectra, 975
Infrared spectroscopy, polypropylene and chlorinated polypropylene, 2657
Integral-skin foam, formation, 1735
Iodometric method, acidic groups in oxycelluloses, 1873
Irradiation, and color in PVC, 61
Isocyanate, polyimide from 2983
Isoprene, block copolymers of, 107, 163
grafted on poly(propylene oxide), 1947
Kaolin clay-methyl methacrylic composities, radiation polymerization, 2765
Kaolin clay substrate, in radiation-induced polymerization poly(methyl methacrylate), 2777
Keratoses, from perfomic acid-oxidized wool, interactions with Biebrich scarlet, 3113
Ketones, reverse osmosis separation of, 1663
Kinetics, polymerization, 695, 811, 835
Lactones, in oxycelluloses, 1873
Laminates, glass fiber reinforced by crosslinked polyesters, 2921

Light, protection against, 573, 871
Lightguides, films for use, 1179
Lignin, graft copolymerization with styrene, 1
Liquid, transport and fractionation through membranes, 1061
Lithium-"Living" polymer systems, thermal stability, 3123
Magnesium methacrylate, vulcanization with, 505
Maleic anhydride, copolymers of 449
Mark-Houwink constants, cellulose acetate-organic solvant systems, 3375
Mass spectrometer, 1045
Maxwell model, parameters of, 423
Mechanical behavior, filled polymers, 1155
Mechanical properties, epoxy resin system, 3399
polymer systems, 1109
polystyrene, 21
of PVC-ethylene vinyl acetate copolymers, 2239
Mechanical reactions, viscous heating effect on temperature dependence, 1701
Melt fracture, melt spinning, 3307
Melt, rheology, polyethylene, 3361
Melt spinning, 3285, 3307
Membranes, composite permselective, 1505
dialysis, copolyether-ester and urethane, 2439
freezing and nonfreezing water in, 1295
liquid transport through and fractionation, 1061
oxygen transfer through, 595
polymer, 595
polymer, permeability to solvating molecules, 2141
reverse osmosis, 663, 771, 2531, 3185
snake-cage, cation exchange, 2739
water flow through, 865
Methacrylic acid, block copolymers, 2761
grafted cellulose, adsorbed water, 2191
Methyl methacrylate, grafted onto cotton, 1139
radiation-induced copolymerization, 1331
Methyl methacrylate-kaolin clay composites, radiation polymerization, 2765
Miscibility of polymers, in mixed organic liquids, 1603
Model compounds, UV spectra, 2567
Molding, polystyrene at high pressures, 21
pyrrone polymers, 2029
Molecular sieves, drying agents in liquid vinyl polymerization, 2847
Molecular weight, correlation to Mooney viscosity, 2677
polystyrene, 519
Molecular weight distribution, effect on binders, 1615
equations for polyethylene, 2051
polyisoprene, 551
PVC-vinyl acetate copolymer, 603
Mooney viscosity, correlation to mol. wt., 2677
Morphology, triblock polymers, 2079
skin-core, of polypropylene, 1239
Neoprene, stiffening of, 559
Nitric salt, of dimethylaminoethyl methacrylate, graft copolymers of starch, 2835
Norborenic diene, terpolymer of, 801
Nuclear magnetic resonance, 157, 1749
adsorbed water in grafted cellulose, 2197
epoxy resin structure, 1953
Nucleation, of polyethylene, 1103
Nylon 6, fiber, styrene-grafted, viscoelastic behavior, 1925
graft copolymerization of acrylic acid with, 921
piperazine adipate and terephthalate crystallization, 1959
solutions, viscosity constants, 1525
stress-strain experiments, 1565
Nylon 66, characterization of, 493
n-octadecyl acrylate terpolymer, ethyl acrylate and acrylonitrile, 3017
Optical detection and thermal transition, 301
Organic solvent and cellulose acetate system, Mark-Houwink constants, 3375
Osmosis, reverse, membranes, 663, 771, 2531, 3185
Osmotic pressure measurements, with membrane-permeating solutes, 3003
Oxidative degradation, isotactic polypropylene, 955
poly(ethylene sulfide), 2511
Oxycellulose, acidic groups in, 1771, 1873
Oxygen transfer, membrane, 595
Ozone cracking, of styrene—butadiene, 1377
Particle size control, in polymerization dispersion, 1867
Perfluoro polymers, thermal degradation of, 739
Performic acid, keratoses from, 3113
Permeability, polymer membranes to solvating molecules, 2141
Permeation properties, polyurethanes, 2105
Peroxide cured polybutadiene, network characterization, 2611
Piperazine adipate and terephthalate, nylon 6, crystallization, 1959
Phenol, UV surface-photopolymerization, 1057
Phenol-formaldehyde resols, GPC analysis, 1585
Phenolic antioxidants, stabilizing unsaturated elastomers, 2751
Phenolic resins, compatibility with synthetic rubber, 1827
Phenols, reverse osmosis separation, 2531
Phenylhydrazine derivatives, cellulose degradation, 3063
Phosphoric acid, formaldehyde reacted with cellulose in, 2073
Phosphorus polyol mixtures, effect flame retardancy polyurethane foams, 2361
Photocatalytic activities, titanium chloride and other white pigments, 2387
Photochlorination, modification of polyolefin films, 1997

Photochlorosulfonation, of polyethylene, 535
Photodegradation, brominated polystyrene, 3035
Photodepolymerization, hydroxypropylmethylcellulose, 2449
Photo-oxidation, polypropylene, 615
Photo-oxidative aging, polypropylene, 2623
Plasma, coating deposition on membranes, 1505
Plasma generator, design, construction, operation, 2291
Plasma initiated polymerization, polymer films and powder from, 2633
Plasma polymerization, 2291, 2317
Plasticizer—PVC, dry blending, 2269
Plasticizers, telomeric, 1687
Plastics, strain measuring, 1573
Polyacid structure, polyelectrolyte effects, 37
Polyacrylamide solutions, viscosity stability, 2709
Poly(acrylic acid), modified with group IVA reactants, 1851
Polyacrylonitrile, dyeability and acid content, 3341
Poly(alkyl acrylates), UV irradiation, 2947
Poly(alkyl methacrylates), UV irradiation, 2947
Polybutadiene, peroxide cured, network characterization, 2611
  vulcanized, properties and structure of, 505
Polybutadienyllithium, thermolytic reactions, 3133
Polycarbonate, bisphenol A, 733
  combustion products of, 855
Poly(carborane siloxane)s, 3075, 3095, 3105
Poly(chromium(III) triphosphenate), thermal mechanical behavior, 917
Polycondensation, dimethyl terephthalate and ethylene glycol, 735
Poly(*p*-N,N-dimethylaminostyrene), vacuum pyrolysis, 3207, 3227
Poly(dimethylsiloxane), polymer networks, 3041
Polydisperse polymers, mol. wt, stress relaxation, relaxation times, 2215
Polyelectrolyte effect, polyacid structure, 37
Polyelectrolytes, amphoteric compressibility, 2057
Poly(1,4-encyclohexylenedimethyl terephthalate), thermal and hydrolytic degradation, 3253
Polyesters, crosslinked from bisacid A-2, 2921
Polyesther sheets, thermal properties of, 129
Polyethylene, annealing in solvents, 1261
  characterization, 2353
  crosslinking by hydrogen glow discharge, 2397
  fractionation, 2417
  melt rheology, 3361
  mol. wt. distribution equation, 2051
  molten, rheological properties, 2877
  nucleation and crystallization with gold, 1103
  stress-crack resistance, 2375
Polyethylene fibers, chlorinated, pyrolysis, 2991
Polyethylene film, modification of, 535
Polyethylene polymers, solubility parameters, 1515
Poly(ethylene sulfide) oxidative degradation, 2511
Poly(ethylene terephthalate), irradiation of, 175, 191
  molten, rheological properties, 1479, 1489
  photochemical degradation of, 175, 191, 203
Poly(ethylene terephthalate) fibers, spinning of, 99
Poly(ethylene terephthalate) yarns, 3393
Poly(imidazopyrrolones, preparation of, 345
Polyimides, from anhydrides with isocyanates, 2983
  thermally stable, 905
  thermomechanical and thermogravimetric analysis, 2595
Polyimide film, hydrolytic degradation, 2909
Polyisoprene, mol. wt. distribution, 551
Polymer, "living,"-lithium system, thermal stability, 2123
Polymer characterization, effect vortex inhibition, 1629
Polymer crystallization, 1077
  dilatometer investigation, 1859
Polymer degradation kinetics, 2503
Polymer entanglements, effect solvent character, 2721
Polymer fibers, structure studies, 1427
Polymer films, crazed and drawn, 1367
Polymer melts, fracture initiation, 2901
Polymer melting temperature, dilatometer investigation, 1859
Polymer membranes, permeability to solvating membranes, 2141
Polymer miscibility, in mixed organic liquids, 1603
Polymer networks, poly(dimethylsiloxane) based, 3041
Polymer network structure, effect bond strength epoxy joints, 1721
Polymer powder and film, from plasma-initiated radio frequency-induced polymerization, 2633
Polymer solutions, bead-spring theory of, 1967
  drag reduction in, 3047
  viscosities estimated, 1081
Polymer structure, graft polymerization, 15
  parameters of, 139
Polymer systems, molten, extrusion studies, 1313
Polymers, acrylic soil release, 1235
  adhesive bondability, effect gas plasma treatment, 1465
  amorphous, ductile and brittle behavior, 3265

crosslinked, chain density and stress relaxation, 1149
filled, mechanical behavior, 1155
filled, thermal conductivity, 3139
degradation of, 627, 683
mechano chemical reaction temperature dependence, 1701
partially charged, salt effect on GPC, 2829
polar, solubility parameters, 1167
polydisperse, mol. wt, stress relaxation, relaxation times, 2215
relaxation process in surface layers, 2131
sulfur-containing, GPC, 2425
triblock, morphology, 2079
yielding, crazing, fracture, 1367
Polymeric system, heterogeneous, 1109, 1125
Polymerization, caprolactam, 929
bulk, vinyl chloride, 783
emulsion, 811, 835
emulsion, of poly(methyl methacrylate), 1457
gamma-ray induced, of methylcyclosiloxanes, 1887
kinetics of, 695
photo, UV, of phenol, cyclohexanol and ethylbenzene, 1051
plasma, styrene, 2291
plasma, vinyl monomers, 2291, 2317
pyrrone polymers, 2029
radiation-induced, 645
radiation-induced ionic, liquid vinyl monomers, 2847
radiation-induced, pyrotechnic binder, 1779
radiation, methyl methacrylate-kaolin clay composites, 2765, 2777
radio frequency-induced plasma-initiated, polymer films and powder from, 2633
styrene, 811, 835
thermal, styrene, 749
Polymerization adjuncts, fluorostyrene polymers, 2433
Polymerization dispersion, particle size control, 1867
Polymethacrylonitrile, thermal behavior, 1817
Poly(methy methacrylate), radiation-induced polymerization, characterization, 2777
emulsion polymerization effects, 1457
Polyene formation, radiation-induced from PVC, 2485
Polyol mixtures, phosphorous and halogen, effect flame retardance polyurethane foam, 2361
Polyolefins, amorphous, 2091
characterization of, 539
Polyolefin melts, rheology of, 987
Polyolefin films, modified by photochlorination, 1997
Polyoxymethylene ethers, hydrolysis of, 1447
Polypropylene, and chlorinated polypropylene, structure and properties, 2657
injection-molded, 1249
isotactic, degradation of, 955
melt properties of, 275
solvent and non-solvent effect on fractionation, 2257
thermo- and photo-oxidative aging, 2623
Polypropylene films, stretching of, 441
UV-stabilization, 615
Poly(propylene oxide), isoprene grafted on, 1947
Polysulfone, combustion products of, 855
Polystyrene, brominated, photodegradation, 3035
fatigue behavior of, 519
molecular weight of, 519
properties of, 21
rubber-modified production of, 69
Polystyrene bead foams, shear modulus, 1409
Polystyrene-PPO blends, mobility transition in, 461
Polystyrene solutions, capillary degradation, 3381
Poly(tetrafluoroethylene) films, membranes from, 1061
Poly(tetrafluoroethylene) surfaces, contact angles of binary system on, 2207
Polytetrahydrofuran, solution, viscosity constants, 1525
Poly(vinyl chloride), see PVC
Poly(vinyl fluoride) film, thermal stability, 3039
Poly (vinylpyrrolidone), diffusion of, 527
Polyurethanes, polyether-based, characterization and permeation property, 2105
Polyurethane elastomers, 3387
crystallization, deformation, structures, 2697
Polyurethane foams, flame retardancy, 2361
process development, 1387
Polyurethane formation, imidazole catalysis, 2853
Potassium thiolacetate, reaction with tosly cellulose, 1495
reversible crosslinking with cellulose, 1495
PPO polystyrene blends, mobility transition in, 461
Potted cylindrical inductor, 1435
Propylene, ethylene copolymer, structure and solution properties, 2795
Propylene, ethylene-ethylyidenenorbornene terpolymer, structure and solution properties, 2795, 2803
Propylene, terpolymers of, 801
Propylene-ethylene terpolymers, crosslinked, 2803
Products, poly(*p*-N,N-dimethylaminostyrene) vacuum pyrolysis, 3207, 3227
PVC, copolymers of ethylene vinyl acetate and chlorinated ethylene vinyl acetate, 2239
color stabilization of, 61
degradation, 1653, 2485
electroplating, 2727
irradiated, thermal analysis, 3265
mechanical and tensile properties, 1839
modifying, 2727

molecular aggregation, 1093
plasticizer, dry blending, 2269
stabilization with metal soaps, 715
surface determination, 1869
thermal decomposition, 1761
UV degradation of, 83
Pyrolysis, cellulose, 41, 257
chlorinated polyethylene fibers, 2991
vacuum poly(*p*-N,N-dimethylaminostyrene), 3207, 3227
Pyrrone polymers, polymerization and molding, 2029
Radiation polymerization, methyl methacrylate-kaolin clay composites, 2765, 2777
Relaxation modulus, numerical interconversion, 2963
Salt, effect on GPC partially charged polymers, 2829
Scanning electron microscopic study, of plasma-polymerized organo-silicon films, 1179
Shear, in capillary extrusion, 1403
Shear modulus, of polystyrene bead foams, 1409
Shear properties, copolymers, 361
Shear strength, in brittle adhesive joints, 1901
Snake-cage cation membrane, 2739
Soaps, metal, 715
Solubility parameters, of chlorinated polyethylene polymers, 1515
of polar polymers, 1167
Solutes, membrane-permeating, osmotic pressure measurements, 3003
Solvent, and non-solvent, effect polypropylene fractionation, 2237
Solvent character, effect polymer entanglements, 2721
Solvents, effects in polyethylene annealing, 1261
effect on UV-degradation of PVC, 83
Spinning, melt, 3285, 3307
poly(ethylene terephthalate) fibers, 99
wet, coagulation phenomena in, 585
Starch, graft copolymers, 2835
Starch poly(ethylenimino thiourethane), rubber reinforced, 1937
Stirring, high-speed, 627
Strain, measuring, on plastics, 1573
Stress-strain curve, viscoelastic material, 2523
Styrene, block copolymers of, 107, 163, 2671
emulsion polymerization, kinetics, 811
copolymerization with lignin, 1
copolymers of, 449
homo- and copolymers, GPC and TLC, 2811
plasma polymerization, 2317
radiation-induced polymerization, 645
radiation-induced copolymerization, 1331, 1339
thermal polymerization of, 749
Styrene-butadiene, bond rupture during ozone cracking, 1377
Styrene-grafted nylon 6 fiber, viscoelastic behavior, 1925
Sulfuric acid, in formaldehyde reaction with cellulose, 1417
Sulfur-containing polymers, GPC, 2425
Sulfur-free thiuram, vulcanization, 3245
Temperature dependence, in mechanochemical reactions, 1701
Terpolymers, 801, 3017
Textile finishing agents, durable press and acrylic soil release, 2859
Thermal aging, epoxy resin system, 3389
Thermal analysis, cross-checking, 2159
irradiated PVC, 3265
Thermal behavior, copolymers cotton cellulose and acrylate monomers, 3325
flame-retardant cotton fabrics, 1801
polymethacrylonitrile, 1817
Thermal conductivity, filled polymers, 3159
Thermal decomposition, PVC, 1761
Thermal degradation, carbanilates, 1213
poly(1,4-cyclohexylenedimethyl terephthalate), 3253
hydrofluoro polymers, 683
isotactic polypropylene, 955
perfluoro polymers, 739
poly(*p*-N,N-dimethylaminostyrene), 3207, 3223
polymers, 3207, 3223
Thermal mechanical analysis, 157
Thermal mechanical behavior, optimization of, 917
Thermo-oxidative aging, polypropylene, 2623
Thermal stability, polymer-lithium systems, 3123
poly(vinyl fluoride) film, 3039
Thermal stresses, induced, in potted cylindrical inductor, 1435
Thermal transition, optical detection of, 301
Thermally treated acrylic fibers, 1357
Thermochemical behavior, poly(carborane siloxane)s, 3073
Thermogravimetric analysis, polyimides, 2595
polymer degradation, 2503
Thermolytic reactions, polybutadienyllithium, 3133
Thermomechanical analysis, polyimides, 2595
Thermomechanical behavior, BBB polymer, 2153
Thin layer chromatography, styrene and butadiene, polymers, 2811
Thiuram, sulfur-free, vulcanization, 3245
Titanium dioxide, photocatalytic activity, 2387
Toslycellulose, reversible crosslinking with potassium thiolacetate, 1495
Tridecyl phosphite, 715
Urethane, 1213
copolyether, dialysis membranes, 2439
UV irradiation, poly(alkyl acrylates) and poly (alkylmethacrylates), 2997
UV spectra, cellulose and model compounds, 2567
Vinyl acetate, copolymers, 849

Vinyl acetate-vinyl chloride copolymer, rheology, 2013
Vinyl chloride, bulk polymerization, 783
catelomer based, 1687
Vinyl chloride-acrylonitrile copolymer fiber, 1863
Vinyl chloride-vinyl acetate copolymer, rheology, 2013
Vinyl ketones, graft copolymerization 1893
Vinyl monomers, grafting to wood pulp cellulose, 2685
liquid, radiation-induced ionic polymerization, 2847
Vinylphosphoric dichloride, radiation-induced copolymerization, 1331
Viscoelastic evaluation, bead-spring model, 3169
Viscoelastic material, stress-strain curve, 2523
Viscoelastic properties, Maxwell model for, 423
Viscosities, of mixed polymer solutions, 1281
Viscosity, automatic, characterization of homo- and copolymers, 2931
intrinsic, determination, 2435
Viscosity shape constants, of nylon 6 and polytetrahydrofuran, 1525
Viscosity stability, polyacrylamide solutions, 2709
Vortex inhibition, 1629
Vulcanization, of filled rubbers, 1191
sulfer-free thiuram, 3245
Water, flow through membranes, 865
freezing and nonfreezing, in membranes, 1295
Weissenberg rheogoniometer, modified, 2877
White pigments, photocatalytic activities, 2387
Wood pulp cellulose, vinyl monomer grafting to, 2685
Wool, flame-retardancy, 1007
oxidized, keratoses from, 3113
Yarns, poly(ethylene terephthalate), 3393
Zinc cellulose xanthate, formation and decomposition, 2985